

Channel	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gb	Dm	Ad
(1)	FOH Pipe 3	1	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(2)	FOH Pipe 3	3	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(3)	FOH Pipe 3	5	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(4)	FOH Pipe 3	7	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(5)	FOH Pipe 3	9	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(6)	FOH Pipe 2	5	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(7)	FOH Pipe 2	6	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(8)	FOH Pipe 2	7	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(9)	FOH Pipe 2	8	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(10)	FOH Pipe 2	9	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(11)	FOH Pipe 1	1	ETC Source 4 26deg+C-Clamp 575w	Spare	L201		
(12)	FOH Pipe 1	2	ETC Source 4 26deg+C-Clamp 575w	FL	L201		
(13)	FOH Pipe 1	3	ETC Source 4 26deg+C-Clamp 575w	Spare	L201		
(21)	FOH Pipe 4	2	ETC Source 4 50deg+C-Clamp 575w	C 45	L201		
(22)	FOH Pipe 4	1	ETC Source 4 50deg+C-Clamp 575w	C 45	L201		
(23)	FOH Pipe 4	7	ETC Source 4 50deg+C-Clamp 575w	C 45	L201		
(24)	FOH Pipe 4	8	ETC Source 4 50deg+C-Clamp 575w	C 45	L201		
(31)	FOH Pipe 4	3	ETC Source 4 50deg+C-Clamp 575w	W 45	G872		
(32)	FOH Pipe 4	4	ETC Source 4 50deg+C-Clamp 575w	W 45	G872		
(33)	FOH Pipe 4	5	ETC Source 4 50deg+C-Clamp 575w	W 45	G872		
(34)	FOH Pipe 4	6	ETC Source 4 50deg+C-Clamp 575w	W 45	G872		
(41)	FOH Pipe 2	1	ETC Source 4 36deg+C-Clamp 575w	W-Pros.	L205, T: G643		
(42)	FOH Pipe 2	2	ETC Source 4 50deg+C-Clamp 575w	W-Pros.	L205, T: G643		
(43)	FOH Pipe 2	12	ETC Source 4 50deg+C-Clamp 575w	W-Pros.	L205, T: G643		

Channel	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gb	Dm	Ad
(44)	FOH Pipe 2	13	ETC Source 4 36deg+C-Clamp 575w	W-Pros.	L205, T: G643		
(45)	House Right Rail	2	ETC Source 4 50deg+C-Clamp 575w	W-Pros.	L205, T: G643		
(46)	House Left Rail	1	ETC Source 4 50deg+C-Clamp 575w	W-Pros.	L205, T: G643		
(51)	FOH Pipe 2	3	ETC Source 4 36deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(52)	FOH Pipe 2	4	ETC Source 4 50deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(53)	FOH Pipe 2	10	ETC Source 4 50deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(54)	FOH Pipe 2	11	ETC Source 4 36deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(55)	House Right Rail	3	ETC Source 4 50deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(56)	House Left Rail	2	ETC Source 4 50deg+C-Clamp 575w	C-Pros.	R362, T: R79081		
(61)	2nd Electric	1	ETC Source 4 LED 36deg+C-Clamp 140w	LED HS			
(62)	2nd Electric	4	ETC Source 4 LED 36deg+C-Clamp 140w	LED HS			
(63)	3rd Electric	1	ETC Source 4 LED 36deg+C-Clamp 140w	LED HS			
(64)	3rd Electric	4	ETC Source 4 LED 36deg+C-Clamp 140w	LED HS			
(65)	4th Electric	1	ETC Source 4 LED 26deg+C-Clamp 140w	LED HS			
(71)	3rd Electric	9	ETC Source 4 36deg+C-Clamp 575w	W HS	G872		
(72)	3rd Electric	12	ETC Source 4 36deg+C-Clamp 575w	W HS	G872		
(73)	2nd Electric	5	ETC Source 4 36deg+C-Clamp 575w	W HS	G872		
(74)	2nd Electric	8	ETC Source 4 36deg+C-Clamp 575w	W HS	G872		
(75)	4th Electric	12	ETC Source 4 26deg+C-Clamp 575w	W HS	G872		

Channel	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gb	Dm	Ad
(81)	4th Electric	2	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(82)	4th Electric	5	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(83)	4th Electric	6	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(84)	4th Electric	8	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(85)	4th Electric	11	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(86)	5th Electric	1	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(87)	5th Electric	4	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(88)	5th Electric	5	ETC Source 4 36deg+C-Clamp 575w	TEX BL	L203, T: G643		
(91)	4th Electric	4	Selecon PLProfile4 MkII LED+C-Clamp 580w	LED BL			
(92)	4th Electric	7	Selecon PLProfile4 MkII LED+C-Clamp 580w	LED BL			
(93)	4th Electric	9	Selecon PLProfile4 MkII LED+C-Clamp 580w	LED BL			
(94)	5th Electric	2	Selecon PLProfile4 MkII LED+C-Clamp 580w	HALL Spec			
(95)	5th Electric	6	Selecon PLProfile4 MkII LED+C-Clamp 580w	HALL Spec			
(101)	1st Electric	1	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		
(102)	1st Electric	3	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		
(103)	1st Electric	5	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		
(104)	3rd Electric	2	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		
(105)	3rd Electric	6	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		
(106)	3rd Electric	10	ETC Source 4 PARNet+C-Clamp 575w	TOP-C	L283		

Channel	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gb	Dm	Ad
(111)	1st Electric	2	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(112)	1st Electric	4	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(113)	1st Electric	6	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(114)	3rd Electric	3	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(115)	3rd Electric	7	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(116)	3rd Electric	11	ETC Source 4 PARNet+C-Clamp 575w	TOP-W	R362		
(121)	House Right Rail	4	Selecon PLProfile4 MkII LED+C-Clamp 580w	Window Specials			
(122)	House Right Rail	1	ETC Source 4 LED 26deg 140w	Window Specials			
(201)	2nd Electric	2	ETC Source 4 26deg+C-Clamp 575w	Wall Tex.	L203, T: G643		
(202)	2nd Electric	3	ETC Source 4 26deg+C-Clamp 575w	Wall Tex.	L203, T: G643		
(203)	2nd Electric	6	ETC Source 4 26deg+C-Clamp 575w	Wall Tex.	L203, T: G643		
(204)	2nd Electric	7	ETC Source 4 26deg+C-Clamp 575w	Wall Tex.	L203, T: G643		
(205)	3rd Electric	5	ETC Source 4 50deg+C-Clamp 575w	Wall Tex.	L203, T: G866		
(206)	3rd Electric	8	ETC Source 4 50deg+C-Clamp 575w	Wall Tex.	L203, T: G866		
(207)	4th Electric	3	ETC Source 4 36deg+C-Clamp 575w	BOOK	L204, T: R79081		
(208)	4th Electric	10	ETC Source 4 36deg+C-Clamp 575w	BOOK	L204, T: R79081		
(209)	5th Electric	3	ETC Source 4 36deg+C-Clamp 575w	Wall Tex.	L204, T: R79081		
(251)	6th Electric	1	SL BAR 640 Hang 500w	Cyc			

Channel	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gb	Dm	Ad
(252)	6th Electric	2	SL BAR 660 Hang 750w	Cyc			
(253)	6th Electric	3	SL BAR 660 Hang 750w	Cyc			
(254)	6th Electric	4	SL BAR 660 Hang 750w	Cyc			
(255)	6th Electric	5	SL BAR 640 Hang 500w	Cyc			
(501)	FOH Pipe 3	2	ETC Source 4 PARNet+C-Clamp 575w	HOUS E	R3202		
	"	4	"	"	"		
(502)	FOH Pipe 3	6	ETC Source 4 PARNet+C-Clamp 575w	HOUS E	R3202		
	"	8	"	"	"		

TABLE OF CONTENTS

5th Electric	1	FOH Pipe 1	4
2nd Electric	1	FOH Pipe 2	5
4th Electric	2	FOH Pipe 3	6
3rd Electric	3	House Right Rail	6
FOH Pipe 4	3	House Left Rail	6
1st Electric	4	6th Electric	7

5th Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(86)		
2	HALL Spec	Selecon PLProfile4 MkII LED+C-Clamp	580w		(94)		
3	Wall Tex.	ETC Source 4 36deg+C-Clamp	575w	L204, T: R79081	(209)		
4	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(87)		
5	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(88)		
6	HALL Spec	Selecon PLProfile4 MkII LED+C-Clamp	580w		(95)		

2nd Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	LED HS	ETC Source 4 LED 36deg+C-Clamp	140w		(61)		
2	Wall Tex.	ETC Source 4 26deg+C-Clamp	575w	L203, T:G643	(201)		
3	Wall Tex.	ETC Source 4 26deg+C-Clamp	575w	L203, T:G643	(202)		
4	LED HS	ETC Source 4 LED 36deg+C-Clamp	140w		(62)		
5	W HS	ETC Source 4 36deg+C-Clamp	575w	G872	(73)		
6	Wall Tex.	ETC Source 4 26deg+C-Clamp	575w	L203, T:G643	(203)		
7	Wall Tex.	ETC Source 4 26deg+C-Clamp	575w	L203, T:G643	(204)		
8	W HS	ETC Source 4 36deg+C-Clamp	575w	G872	(74)		

4th Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	LED HS	ETC Source 4 LED 26deg+C-Clamp	140w		(65)		
2	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(81)		
3	BOOK	ETC Source 4 36deg+C-Clamp	575w	L204, T: R79081	(207)		
4	LED BL	Selecon PLProfile4 MkII LED+C-Clamp	580w		(91)		
5	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(82)		
6	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(83)		
7	LED BL	Selecon PLProfile4 MkII LED+C-Clamp	580w		(92)		
8	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(84)		
9	LED BL	Selecon PLProfile4 MkII LED+C-Clamp	580w		(93)		
10	BOOK	ETC Source 4 36deg+C-Clamp	575w	L204, T: R79081	(208)		
11	TEX BL	ETC Source 4 36deg+C-Clamp	575w	L203, T:G643	(85)		
12	W HS	ETC Source 4 26deg+C-Clamp	575w	G872	(75)		

3rd Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	LED HS	ETC Source 4 LED 36deg+C-Clamp	140w		(63)		
2	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(104)		
3	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(114)		
4	LED HS	ETC Source 4 LED 36deg+C-Clamp	140w		(64)		
5	Wall Tex.	ETC Source 4 50deg+C-Clamp	575w	L203, T:G866	(205)		
6	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(105)		
7	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(115)		
8	Wall Tex.	ETC Source 4 50deg+C-Clamp	575w	L203, T:G866	(206)		
9	W HS	ETC Source 4 36deg+C-Clamp	575w	G872	(71)		
10	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(106)		
11	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(116)		
12	W HS	ETC Source 4 36deg+C-Clamp	575w	G872	(72)		

FOH Pipe 4

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	C 45	ETC Source 4 50deg+C-Clamp	575w	L201	(22)		
2	C 45	ETC Source 4 50deg+C-Clamp	575w	L201	(21)		
3	W 45	ETC Source 4 50deg+C-Clamp	575w	G872	(31)		
4	W 45	ETC Source 4 50deg+C-Clamp	575w	G872	(32)		
5	W 45	ETC Source 4 50deg+C-Clamp	575w	G872	(33)		
6	W 45	ETC Source 4 50deg+C-Clamp	575w	G872	(34)		
7	C 45	ETC Source 4 50deg+C-Clamp	575w	L201	(23)		
8	C 45	ETC Source 4 50deg+C-Clamp	575w	L201	(24)		

1st Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(101)		
2	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(111)		
3	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(102)		
4	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(112)		
5	TOP-C	ETC Source 4 PARNel+C-Clamp	575w	L283	(103)		
6	TOP-W	ETC Source 4 PARNel+C-Clamp	575w	R362	(113)		

FOH Pipe 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	Spare	ETC Source 4 26deg+C-Clamp	575w	L201	(11)		
2	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(12)		
3	Spare	ETC Source 4 26deg+C-Clamp	575w	L201	(13)		

FOH Pipe 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	W-Pros.	ETC Source 4 36deg+C-Clamp	575w	L205, T:G643	(41)		
2	W-Pros.	ETC Source 4 50deg+C-Clamp	575w	L205, T:G643	(42)		
3	C-Pros.	ETC Source 4 36deg+C-Clamp	575w	R362, T: R79081	(51)		
4	C-Pros.	ETC Source 4 50deg+C-Clamp	575w	R362, T: R79081	(52)		
5	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(6)		
6	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(7)		
7	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(8)		
8	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(9)		
9	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(10)		
10	C-Pros.	ETC Source 4 50deg+C-Clamp	575w	R362, T: R79081	(53)		
11	C-Pros.	ETC Source 4 36deg+C-Clamp	575w	R362, T: R79081	(54)		
12	W-Pros.	ETC Source 4 50deg+C-Clamp	575w	L205, T:G643	(43)		
13	W-Pros.	ETC Source 4 36deg+C-Clamp	575w	L205, T:G643	(44)		

FOH Pipe 3

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(1)		
2	HOUSE	ETC Source 4 PARNel+C-Clamp	575w	R3202	(501)		
3	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(2)		
4	HOUSE	ETC Source 4 PARNel+C-Clamp	575w	R3202	(501)		
5	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(3)		
6	HOUSE	ETC Source 4 PARNel+C-Clamp	575w	R3202	(502)		
7	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(4)		
8	HOUSE	ETC Source 4 PARNel+C-Clamp	575w	R3202	(502)		
9	FL	ETC Source 4 26deg+C-Clamp	575w	L201	(5)		

House Right Rail

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	Window Specials	ETC Source 4 LED 26deg	140w		(122)		
2	W-Pros.	ETC Source 4 50deg+C-Clamp	575w	L205, T:G643	(45)		
3	C-Pros.	ETC Source 4 50deg+C-Clamp	575w	R362, T: R79081	(55)		
4	Window Specials	Selecon PLProfile4 MkII LED+C-Clamp	580w		(121)		

House Left Rail

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	W-Pros.	ETC Source 4 50deg+C-Clamp	575w	L205, T:G643	(46)		
2	C-Pros.	ETC Source 4 50deg+C-Clamp	575w	R362, T: R79081	(56)		

6th Electric

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Ad	Dm
1	Cyc	SL BAR 640 Hang	500w		(251)		
2	Cyc	SL BAR 660 Hang	750w		(252)		
3	Cyc	SL BAR 660 Hang	750w		(253)		
4	Cyc	SL BAR 660 Hang	750w		(254)		
5	Cyc	SL BAR 640 Hang	500w		(255)		

TABLE OF CONTENTS

L204	1	L283	5
L203	2	R362	6
G872	3	L205	7
L201	4	R3202	8

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L204	5th Electric	3	ETC Source 4 36deg+C-Clamp	575w	Wall Tex.	R79081	(209)	
	4th Electric	3	ETC Source 4 36deg+C-Clamp	575w	BOOK	R79081	(207)	
	4th Electric	10	ETC Source 4 36deg+C-Clamp	575w	BOOK	R79081	(208)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L203	5th Electric	1	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(86)	
	5th Electric	4	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(87)	
	5th Electric	5	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(88)	
	2nd Electric	2	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	G643	(201)	
	2nd Electric	3	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	G643	(202)	
	2nd Electric	6	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	G643	(203)	
	2nd Electric	7	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	G643	(204)	
	4th Electric	2	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(81)	
	4th Electric	5	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(82)	
	4th Electric	6	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(83)	
	4th Electric	8	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(84)	
	4th Electric	11	ETC Source 4 36deg+C-Clamp	575w	TEX BL	G643	(85)	
	3rd Electric	5	ETC Source 4 50deg+C-Clamp	575w	Wall Tex.	G866	(205)	
	3rd Electric	8	ETC Source 4 50deg+C-Clamp	575w	Wall Tex.	G866	(206)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
G872	2nd Electric	5	ETC Source 4 36deg+C-Clamp	575w	W HS		(73)	
	2nd Electric	8	ETC Source 4 36deg+C-Clamp	575w	W HS		(74)	
	4th Electric	12	ETC Source 4 26deg+C-Clamp	575w	W HS		(75)	
	3rd Electric	9	ETC Source 4 36deg+C-Clamp	575w	W HS		(71)	
	3rd Electric	12	ETC Source 4 36deg+C-Clamp	575w	W HS		(72)	
	FOH Pipe 4	3	ETC Source 4 50deg+C-Clamp	575w	W 45		(31)	
	FOH Pipe 4	4	ETC Source 4 50deg+C-Clamp	575w	W 45		(32)	
	FOH Pipe 4	5	ETC Source 4 50deg+C-Clamp	575w	W 45		(33)	
	FOH Pipe 4	6	ETC Source 4 50deg+C-Clamp	575w	W 45		(34)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L201	FOH Pipe 4	1	ETC Source 4 50deg+C-Clamp	575w	C 45		(22)	
	FOH Pipe 4	2	ETC Source 4 50deg+C-Clamp	575w	C 45		(21)	
	FOH Pipe 4	7	ETC Source 4 50deg+C-Clamp	575w	C 45		(23)	
	FOH Pipe 4	8	ETC Source 4 50deg+C-Clamp	575w	C 45		(24)	
	FOH Pipe 1	1	ETC Source 4 26deg+C-Clamp	575w	Spare		(11)	
	FOH Pipe 1	2	ETC Source 4 26deg+C-Clamp	575w	FL		(12)	
	FOH Pipe 1	3	ETC Source 4 26deg+C-Clamp	575w	Spare		(13)	
	FOH Pipe 2	5	ETC Source 4 26deg+C-Clamp	575w	FL		(6)	
	FOH Pipe 2	6	ETC Source 4 26deg+C-Clamp	575w	FL		(7)	
	FOH Pipe 2	7	ETC Source 4 26deg+C-Clamp	575w	FL		(8)	
	FOH Pipe 2	8	ETC Source 4 26deg+C-Clamp	575w	FL		(9)	
	FOH Pipe 2	9	ETC Source 4 26deg+C-Clamp	575w	FL		(10)	
	FOH Pipe 3	1	ETC Source 4 26deg+C-Clamp	575w	FL		(1)	
	FOH Pipe 3	3	ETC Source 4 26deg+C-Clamp	575w	FL		(2)	
	FOH Pipe 3	5	ETC Source 4 26deg+C-Clamp	575w	FL		(3)	
	FOH Pipe 3	7	ETC Source 4 26deg+C-Clamp	575w	FL		(4)	
	FOH Pipe 3	9	ETC Source 4 26deg+C-Clamp	575w	FL		(5)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L283	3rd Electric	2	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(104)	
	3rd Electric	6	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(105)	
	3rd Electric	10	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(106)	
	1st Electric	1	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(101)	
	1st Electric	3	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(102)	
	1st Electric	5	ETC Source 4 PARNet+C-Clamp	575w	TOP-C		(103)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R362	3rd Electric	3	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(114)	
	3rd Electric	7	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(115)	
	3rd Electric	11	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(116)	
	1st Electric	2	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(111)	
	1st Electric	4	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(112)	
	1st Electric	6	ETC Source 4 PARNel+C-Clamp	575w	TOP-W		(113)	
	FOH Pipe 2	3	ETC Source 4 36deg+C-Clamp	575w	C-Pros.	R79081	(51)	
	FOH Pipe 2	4	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R79081	(52)	
	FOH Pipe 2	10	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R79081	(53)	
	FOH Pipe 2	11	ETC Source 4 36deg+C-Clamp	575w	C-Pros.	R79081	(54)	
	House Right Rail	3	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R79081	(55)	
	House Left Rail	2	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R79081	(56)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L205	FOH Pipe 2	1	ETC Source 4 36deg+C-Clamp	575w	W-Pros.	G643	(41)	
	FOH Pipe 2	2	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	G643	(42)	
	FOH Pipe 2	12	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	G643	(43)	
	FOH Pipe 2	13	ETC Source 4 36deg+C-Clamp	575w	W-Pros.	G643	(44)	
	House Right Rail	2	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	G643	(45)	
	House Left Rail	1	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	G643	(46)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3202	FOH Pipe 3	2	ETC Source 4 PARNet+C-Clamp	575w	HOUSE		(501)	
	FOH Pipe 3	4	ETC Source 4 PARNet+C-Clamp	575w	HOUSE		(501)	
	FOH Pipe 3	6	ETC Source 4 PARNet+C-Clamp	575w	HOUSE		(502)	
	FOH Pipe 3	8	ETC Source 4 PARNet+C-Clamp	575w	HOUSE		(502)	

TABLE OF CONTENTS

R79081	1	G643	2
		G866	3

R79081

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
5th Electric	3	ETC Source 4 36deg+C-Clamp	575w	Wall Tex.	L204	(209)	
4th Electric	3	ETC Source 4 36deg+C-Clamp	575w	BOOK	L204	(207)	
4th Electric	10	ETC Source 4 36deg+C-Clamp	575w	BOOK	L204	(208)	
FOH Pipe 2	3	ETC Source 4 36deg+C-Clamp	575w	C-Pros.	R362	(51)	
FOH Pipe 2	4	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R362	(52)	
FOH Pipe 2	10	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R362	(53)	
FOH Pipe 2	11	ETC Source 4 36deg+C-Clamp	575w	C-Pros.	R362	(54)	
House Right Rail	3	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R362	(55)	
House Left Rail	2	ETC Source 4 50deg+C-Clamp	575w	C-Pros.	R362	(56)	

G643

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
5th Electric	1	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(86)	
5th Electric	4	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(87)	
5th Electric	5	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(88)	
2nd Electric	2	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	L203	(201)	
2nd Electric	3	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	L203	(202)	
2nd Electric	6	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	L203	(203)	
2nd Electric	7	ETC Source 4 26deg+C-Clamp	575w	Wall Tex.	L203	(204)	
4th Electric	2	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(81)	
4th Electric	5	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(82)	
4th Electric	6	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(83)	
4th Electric	8	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(84)	
4th Electric	11	ETC Source 4 36deg+C-Clamp	575w	TEX BL	L203	(85)	
FOH Pipe 2	1	ETC Source 4 36deg+C-Clamp	575w	W-Pros.	L205	(41)	
FOH Pipe 2	2	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	L205	(42)	
FOH Pipe 2	12	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	L205	(43)	
FOH Pipe 2	13	ETC Source 4 36deg+C-Clamp	575w	W-Pros.	L205	(44)	
House Right Rail	2	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	L205	(45)	
House Left Rail	1	ETC Source 4 50deg+C-Clamp	575w	W-Pros.	L205	(46)	

G866

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
3rd Electric	5	ETC Source 4 50deg+C-Clamp	575w	Wall Tex.	L203	(205)	
3rd Electric	8	ETC Source 4 50deg+C-Clamp	575w	Wall Tex.	L203	(206)	