

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(1)	South Undercat	1	High End Systems SolaTheater 500w	Mover Undercat			4/147
(2)	West C Undercat	5	High End Systems SolaTheater 500w	Mover Undercat			4/195
(3)	West Undercat	16	High End Systems SolaTheater 500w	Mover Undercat			4/243
(4)	East Undercat	4	High End Systems SolaTheater 500w	Mover Undercat			4/9
(5)	East Undercat	5	High End Systems SolaTheater 500w	Mover Undercat			4/440
(6)	North Undercat	10	High End Systems SolaTheater 500w	Mover Undercat			4/337
(7)	West C Undercat	10	High End Systems SolaTheater 500w	Mover Undercat			4/180
(8)	Bay 5 X Pipe	3	High End Systems SolaSpot Pro 1000 500w	Cat Mover			5/40
(9)	Bay 3 X Pipe	1	High End Systems SolaSpot Pro 1000 500w	Cat Mover			5/55
(21)	Bay 8 Low	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/157
(22)	Bay 8 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/144
(23)	Bay 5 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/131
(24)	East C Undercat	2	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		4/427
(25)	Bay 9 Low	4	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/118
(26)	Bay 9 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/105
(27)	Bay 6 Low	5	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/93
(28)	Bay 6 Low	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119		5/80

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(29)	East Undercat	14	ETC Lustr 1 26deg 125.4w	SL High Sides	R119		4/136
(30)	East Undercat	12	ETC Lustr 1 26deg 125.4w	SL High Sides	R119		4/116
(31)	East Undercat	9	ETC Lustr 1 26deg 125.4w	SL High Sides	R119		4/97
(32)	East Undercat	8	ETC Lustr 1 26deg 125.4w	SL High Sides	R119		4/87
(41)	Bay 4 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/65
(42)	Bay 1 Low	6	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/18
(43)	North Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/3
(45)	Bay 4 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/61
(46)	Bay 1 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/4
(47)	North Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/2
(49)	Bay 5 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/70
(50)	Bay 2 Low	7	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/26
(51)	North Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/27
(53)	East C Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/32
(54)	East C Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/34
(55)	North Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119		11/8
(71)	Bay 7 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/121

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(72)	Bay 4 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/85
(73)	Bay 1 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/21
(74)	Bay 1 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/25
(75)	Bay 8 Low	13	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/126
(76)	Bay 5 X Pipe	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/91
(77)	Bay 2 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/55
(78)	Bay 2 Low	9	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/7
(79)	Bay 9 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/134
(80)	Bay 6 Low	8	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/96
(81)	Bay 3 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/40
(82)	Bay 3 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/36
(83)	Bay 9 Low	7	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/131
(84)	Bay 6 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/105
(85)	Bay 3 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/41
(86)	Bay 3 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/45

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(87)	Bay 9 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/161
(88)	Bay 1 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041		11/24
(91)	West Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/123
(92)	West Undercat	13	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/63
(93)	West Undercat	17	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/16
(94)	Bay 4 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/80
(95)	Bay 4 Low	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/76
(96)	Bay 1 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/19
(97)	Bay 5 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/90
(98)	Bay 5 Low	8	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/86
(99)	Bay 2 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+ R132, T: ME 3547		11/29
(101)	West Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/168
(102)	West Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/166
(103)	West Undercat	8	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/107
(104)	West Undercat	14	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/62
(105)	South Undercat	8	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/141

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(106)	South Undercat	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/169
(107)	West Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/138
(108)	West Undercat	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/79
(109)	South Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/173
(110)	West C Undercat	7	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/130
(111)	West C Undercat	4	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/88
(112)	West C Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/68
(113)	South Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/153
(114)	Bay 8 Low	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/171
(115)	Bay 5 Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/114
(116)	East C Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119		11/95
(121)	West Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/167
(122)	West Undercat	4	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/139
(123)	West Undercat	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/105
(124)	West Undercat	15	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/17
(125)	South Undercat	7	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/142
(126)	South Undercat	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/170

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(127)	West Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/137
(128)	West Undercat	11	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/78
(129)	South Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/174
(130)	West C Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/129
(131)	West C Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/111
(132)	West C Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/67
(133)	South Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/154
(134)	Bay 8 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/172
(135)	Bay 5 Low	3	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/113
(136)	East C Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119		11/94
(151)	Bay 5 Low	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/89
(152)	Bay 5 Low	7	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/87
(153)	Bay 2 Low	5	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/30
(154)	Bay 2 Low	8	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/9
(155)	Bay 5 Low	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/112
(156)	Bay 5 X Pipe	1	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/92
(157)	Bay 2 Low	3	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/54

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(158)	Bay 2 Low	10	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/6
(159)	Bay 6 Low	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/116
(160)	Bay 6 Low	9	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/97
(161)	Bay 3 Low	7	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/39
(162)	Bay 3 Low	11	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/15
(163)	Bay 6 Low	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/120
(164)	Bay 6 Low	1	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/104
(165)	Bay 3 Low	2	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/42
(166)	Bay 3 Low	12	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71		11/12
(201)	East C Undercat	4	High End SolaPix 19 1kW	Pix Backlight			4/415
(202)	East Undercat	6	High End SolaPix 19 1kW	Pix Backlight			4/57
(203)	North Undercat	9	High End SolaPix 19 1kW	Pix Backlight			4/315
(204)	Undercat X Pipe 1	1	High End SolaPix 19 1kW	Pix Backlight			4/393
(301)	North Undercat	2	Altman Spectra CYC 50 50w	Building Wash			4/291
(302)	North Undercat	4	Altman Spectra CYC 50 50w	Building Wash			4/299
(303)	North Undercat	8	Altman Spectra CYC 50 50w	Building Wash			4/307
(304)	North Undercat	12	Altman Spectra CYC 50 50w	Building Wash			4/385

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(305)	East Undercat	2	Altman Spectra CYC 50 50w	Building Wash			4/79
(306)	East Undercat	7	Altman Spectra CYC 50 50w	Building Wash			5/67
(307)	East Undercat	11	Altman Spectra CYC 50 50w	Building Wash			4/107
(308)	East Undercat	13	Altman Spectra CYC 50 50w	Building Wash			4/127
(311)	West Mezz Upper	4	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726		
(312)	West Mezz Upper	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726		
(313)	South Mezz Upper	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726		
(314)	South Mezz Upper	1	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726		
(321)	North Undercat	11	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape			11/14
(322)	North Undercat	13	ETC Source4 70deg 575w	Building Scrape			11/13
(323)	East Undercat	1	ETC Source4 70deg 575w	Building Scrape			11/44
(324)	East Undercat	3	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape			11/43
(331)	South Mezz Upper	2	ETC Source4 50deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643		11/214
(332)	South Mezz Upper	1	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643		11/213
(333)	West Mezz Upper	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643		11/237
(334)	West Mezz Upper	6	ETC Source4 50deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643		11/240
(401)	West Mezz Upper	2	Source 4 19deg 575w	Warm Fence Texture	R4615, T: ME 4004		11/226

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(402)	South Mezz Upper	4	Source 4 19deg 575w	Warm Fence Texture	R4615, T: ME 4004		11/221
(411)	West Mezz Upper	1	Source 4 19deg 575w	Cool Fence Texture	R78, T: ME 4004		11/227
(412)	South Mezz Upper	5	Source 4 19deg 575w	Cool Fence Texture	R78, T: ME 4004		11/222
(420)	Mezzanin e	1		Haze			
(501)	General Store			Internal Bulbs			
(502)	General Store			Internal Bulbs			
(503)	Clock Tower			Internal Bulbs			
(504)	City Hall			Internal Bulbs			
(505)	City Hall			Internal Bulbs			
(506)	Vacant/ Music			Internal Bulbs			
(507)	Library			Internal Bulbs			
	"			"			
	"			"			
(508)	Candy Store			Internal Bulbs			
(509)	Livery Stable			Internal Bulbs			
(510)	Hotel			Internal Bulbs			
(511)	Hotel			Internal Bulbs			
(512)	High School			Internal Bulbs			

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(513)	Billiards			Internal Bulbs			
(514)	Billiards			Internal Bulbs			
(515)	Train Station "			Internal Bulbs "			
(516)	Train Station			Internal Bulbs			
(601)	South Mezz Upper	2	Source 4 19deg 575w	Clock Face Spec	R64		11/220
(602)	Clock Tower	1		Clock Moon LED Tape			
(621)	South Undercat	4	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279		11/152
(622)	West Undercat	12	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279		11/64
(631)	East Undercat	10	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	R3314		11/101
(632)	North Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	L777		11/35
(650)	Deck	1		Lamppost			
(671)	Bay 2 Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888		11/53
(672)	Bay 3 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888		11/37
(673)	Bay 3 Low	4	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888		11/57
(674)	Bay 3 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888		11/38
(675)	Bay 6 Low	7	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888		11/98
(701)	South Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T:G673		11/219

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(702)	South Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T:G673		11/215
(703)	West Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T:G673		11/234
(704)	West Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T:G673		11/230
(711)	Bay 3 Low	5	ETC Source4 PAR VN5P 575w	Library Desk Spec	R305		11/56
(715)	Library			Desk Lamp			
(721)	City Hall			Library Shelves Glow			
(722)	Hotel			Library Shelves Glow			
(723)	Billiards			Library Shelves Glow			
(751)	Bay 3 Low	13	ETC Source4 50deg+Light Acc C Clamp 575w	Trellis Texture	R3202+ R3204, T: G799		11/11
(801)	SL Boom 1	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Lace Curtain Wash			
(802)	SR Boom 1	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Lace Curtain Wash			
(803)	SL Boom 1	2	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Warm Texture	R321		
(804)	SR Boom 1	2	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Warm Texture	R321		
(805)	SL Boom 1	1	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Cool Texture	R84, T: G643		
(806)	SR Boom 1	1	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Cool Texture	R84, T: G643		
(851)	Mezzanine	3		Map LED Tape			
(852)	Mezzanine	2		Map LED Tape			
(853)	Mezzanine	1		Map LED Tape			

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(861)	Bay 4 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+ R132, T: G643		11/109
(862)	East C Undercat	8	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+ R132, T: G643		11/3
(863)	Bay 8 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+ R132, T: G643		11/149
(871)	Bay 4 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643		11/110
(872)	East C Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643		11/127
(873)	Bay 8 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643		11/150
(881)	Bay 4 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Rain Window Texture	R3202+ R3204, T:R +		11/108
(882)	Bay 8 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Rain Window Texture	R3202+ R3204, T:R +		11/148
(899)	Mezzanin e	4		String Lights			
(951)	Bay 9 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/176
(952)	Bay 6 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/75
(953)	Bay 8 Low	12	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/146
(954)	Bay 5 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/69
(955)	Bay 2 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/31
(956)	Bay 7 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE			11/140
(1001)	Bay 1 Low	7	USITT PAR46-MFL 200w	House	R305		11/5

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gb	Dm	Addr
(1002)	Bay 1 Low	4	USITT PAR46-MFL 200w	House	R305		11/20
(1003)	Bay 4 Low	6	USITT PAR46-MFL 200w	House	R305		11/77
(1004)	Bay 7 Low	2	USITT PAR46-MFL 200w	House	R305		11/136
(1005)	Bay 7 Low	3	USITT PAR46-MFL 200w	House	R305		11/122
(1006)	Bay 8 Low	11	USITT PAR46-MFL 200w	House	R305		11/147
(1007)	Bay 8 Low	2	USITT PAR46-MFL 200w	House	R305		11/151
(1008)	Bay 9 Low	3	USITT PAR46-MFL 200w	House	R305		11/180

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
4/9	(4)	East Undercat	4	High End Systems SolaTheater 500w	Mover Undercat	
4/57	(202)	East Undercat	6	High End SolaPix 19 1kW	Pix Backlight	
4/79	(305)	East Undercat	2	Altman Spectra CYC 50 50w	Building Wash	
4/87	(32)	East Undercat	8	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
4/97	(31)	East Undercat	9	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
4/107	(307)	East Undercat	11	Altman Spectra CYC 50 50w	Building Wash	
4/116	(30)	East Undercat	12	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
4/127	(308)	East Undercat	13	Altman Spectra CYC 50 50w	Building Wash	
4/136	(29)	East Undercat	14	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
4/147	(1)	South Undercat	1	High End Systems SolaTheater 500w	Mover Undercat	
4/180	(7)	West C Undercat	10	High End Systems SolaTheater 500w	Mover Undercat	
4/195	(2)	West C Undercat	5	High End Systems SolaTheater 500w	Mover Undercat	
4/243	(3)	West Undercat	16	High End Systems SolaTheater 500w	Mover Undercat	
4/291	(301)	North Undercat	2	Altman Spectra CYC 50 50w	Building Wash	
4/299	(302)	North Undercat	4	Altman Spectra CYC 50 50w	Building Wash	
4/307	(303)	North Undercat	8	Altman Spectra CYC 50 50w	Building Wash	
4/315	(203)	North Undercat	9	High End SolaPix 19 1kW	Pix Backlight	

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
4/337	(6)	North Undercat	10	High End Systems SolaTheater 500w	Mover Undercat	
4/385	(304)	North Undercat	12	Altman Spectra CYC 50 50w	Building Wash	
4/393	(204)	Undercat X Pipe 1	1	High End SolaPix 19 1kW	Pix Backlight	
4/415	(201)	East C Undercat	4	High End SolaPix 19 1kW	Pix Backlight	
4/427	(24)	East C Undercat	2	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
4/440	(5)	East Undercat	5	High End Systems SolaTheater 500w	Mover Undercat	
5/40	(8)	Bay 5 X Pipe	3	High End Systems SolaSpot Pro 1000 500w	Cat Mover	
5/55	(9)	Bay 3 X Pipe	1	High End Systems SolaSpot Pro 1000 500w	Cat Mover	
5/67	(306)	East Undercat	7	Altman Spectra CYC 50 50w	Building Wash	
5/80	(28)	Bay 6 Low	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/93	(27)	Bay 6 Low	5	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/105	(26)	Bay 9 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/118	(25)	Bay 9 Low	4	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/131	(23)	Bay 5 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/144	(22)	Bay 8 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
5/157	(21)	Bay 8 Low	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
11/2	(47)	North Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/3	(862)	East C Undercat	8	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+R132, T:G643
	(43)	North Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/4	(46)	Bay 1 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/5	(1001)	Bay 1 Low	7	USITT PAR46-MFL 200w	House	R305
11/6	(158)	Bay 2 Low	10	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/7	(78)	Bay 2 Low	9	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/8	(55)	North Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/9	(154)	Bay 2 Low	8	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/11	(751)	Bay 3 Low	13	ETC Source4 50deg+Light Acc C Clamp 575w	Trellis Texture	R3202+ R3204, T: G799
11/12	(166)	Bay 3 Low	12	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/13	(322)	North Undercat	13	ETC Source4 70deg 575w	Building Scrape	
11/14	(321)	North Undercat	11	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape	
11/15	(162)	Bay 3 Low	11	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/16	(93)	West Undercat	17	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/17	(124)	West Undercat	15	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/18	(42)	Bay 1 Low	6	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/19	(96)	Bay 1 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/20	(1002)	Bay 1 Low	4	USITT PAR46-MFL 200w	House	R305

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/21	(73)	Bay 1 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/24	(88)	Bay 1 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/25	(74)	Bay 1 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/26	(50)	Bay 2 Low	7	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/27	(51)	North Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/29	(99)	Bay 2 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/30	(153)	Bay 2 Low	5	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/31	(955)	Bay 2 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
11/32	(53)	East C Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/34	(54)	East C Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/35	(632)	North Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	L777
11/36	(82)	Bay 3 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/37	(672)	Bay 3 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
11/38	(674)	Bay 3 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
11/39	(161)	Bay 3 Low	7	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/40	(81)	Bay 3 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/41	(85)	Bay 3 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/42	(165)	Bay 3 Low	2	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/43	(324)	East Undercat	3	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape	
11/44	(323)	East Undercat	1	ETC Source4 70deg 575w	Building Scrape	
11/45	(86)	Bay 3 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/53	(671)	Bay 2 Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
11/54	(157)	Bay 2 Low	3	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/55	(77)	Bay 2 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/56	(711)	Bay 3 Low	5	ETC Source4 PAR VNSP 575w	Library Desk Spec	R305
11/57	(673)	Bay 3 Low	4	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
11/61	(45)	Bay 4 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/62	(104)	West Undercat	14	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/63	(92)	West Undercat	13	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/64	(622)	West Undercat	12	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279
11/65	(41)	Bay 4 Low	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/67	(132)	West C Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/68	(112)	West C Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/69	(954)	Bay 5 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/70	(49)	Bay 5 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
11/75	(952)	Bay 6 Low	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
11/76	(95)	Bay 4 Low	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/77	(1003)	Bay 4 Low	6	USITT PAR46-MFL 200w	House	R305
11/78	(128)	West Undercat	11	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/79	(108)	West Undercat	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/80	(94)	Bay 4 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/85	(72)	Bay 4 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/86	(98)	Bay 5 Low	8	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/87	(152)	Bay 5 Low	7	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/88	(111)	West C Undercat	4	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/89	(151)	Bay 5 Low	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/90	(97)	Bay 5 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/91	(76)	Bay 5 X Pipe	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/92	(156)	Bay 5 X Pipe	1	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/94	(136)	East C Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/95	(116)	East C Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/96	(80)	Bay 6 Low	8	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/97	(160)	Bay 6 Low	9	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/98	(675)	Bay 6 Low	7	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
11/101	(631)	East Undercat	10	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	R3314
11/104	(164)	Bay 6 Low	1	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/105	(84)	Bay 6 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(123)	West Undercat	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/107	(103)	West Undercat	8	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/108	(881)	Bay 4 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Rain Window Texture	R3202+ R3204, T:R +
11/109	(861)	Bay 4 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+R132, T:G643
11/110	(871)	Bay 4 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643
11/111	(131)	West C Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/112	(155)	Bay 5 Low	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/113	(135)	Bay 5 Low	3	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/114	(115)	Bay 5 Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/116	(159)	Bay 6 Low	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
11/120	(163)	Bay 6 Low	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/121	(71)	Bay 7 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/122	(1005)	Bay 7 Low	3	USITT PAR46-MFL 200w	House	R305
11/123	(91)	West Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
11/126	(75)	Bay 8 Low	13	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/127	(872)	East C Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643
11/129	(130)	West C Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/130	(110)	West C Undercat	7	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/131	(83)	Bay 9 Low	7	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/134	(79)	Bay 9 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/136	(1004)	Bay 7 Low	2	USITT PAR46-MFL 200w	House	R305
11/137	(127)	West Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/138	(107)	West Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/139	(122)	West Undercat	4	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/140	(956)	Bay 7 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
11/141	(105)	South Undercat	8	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/142	(125)	South Undercat	7	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/146	(953)	Bay 8 Low	12	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
11/147	(1006)	Bay 8 Low	11	USITT PAR46-MFL 200w	House	R305

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/148	(882)	Bay 8 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Rain Window Texture	R3202+ R3204, T:R +
11/149	(863)	Bay 8 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Map Texture	R4615+R132, T:G643
11/150	(873)	Bay 8 Low	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643
11/151	(1007)	Bay 8 Low	2	USITT PAR46-MFL 200w	House	R305
11/152	(621)	South Undercat	4	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279
11/153	(113)	South Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/154	(133)	South Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/161	(87)	Bay 9 Low	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
11/166	(102)	West Undercat	3	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/167	(121)	West Undercat	2	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/168	(101)	West Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/169	(106)	South Undercat	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/170	(126)	South Undercat	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/171	(114)	Bay 8 Low	10	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/172	(134)	Bay 8 Low	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
11/173	(109)	South Undercat	6	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
11/174	(129)	South Undercat	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
11/176	(951)	Bay 9 Low	5	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
11/180	(1008)	Bay 9 Low	3	USITT PAR46-MFL 200w	House	R305
11/213	(332)	South Mezz Upper	1	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
11/214	(331)	South Mezz Upper	2	ETC Source4 50deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
11/215	(702)	South Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T: G673
11/219	(701)	South Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T: G673
11/220	(601)	South Mezz Upper	2	Source 4 19deg 575w	Clock Face Spec	R64
11/221	(402)	South Mezz Upper	4	Source 4 19deg 575w	Warm Fence Texture	R4615, T: ME 4004
11/222	(412)	South Mezz Upper	5	Source 4 19deg 575w	Cool Fence Texture	R78, T: ME 4004
11/226	(401)	West Mezz Upper	2	Source 4 19deg 575w	Warm Fence Texture	R4615, T: ME 4004
11/227	(411)	West Mezz Upper	1	Source 4 19deg 575w	Cool Fence Texture	R78, T: ME 4004
11/230	(704)	West Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T: G673
11/234	(703)	West Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T: G673
11/237	(333)	West Mezz Upper	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
11/240	(334)	West Mezz Upper	6	ETC Source4 50deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
					ETC CE Source4 PAR MCM (MFL) 575w		
					High End Systems SolaSpot Pro 1000 500w		
					"		
					"		
					"		
					High End Systems SolaTheater 500w		
					"		
					"		
					"		
					High End SolaPix 19 1kW		
					"		
					"		
					"		
(513)			Billiards			Internal Bulbs	
(514)			"			"	
(723)			"			Library Shelves Glow	
(510)			Hotel			Internal Bulbs	
(511)			"			"	
(722)			"			Library Shelves Glow	
(504)			City Hall			Internal Bulbs	
(505)			"			"	
(721)			"			Library Shelves Glow	

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(515)		Train Station			Internal Bulbs	
	"		"			"	
	(516)		"			"	
	(512)		High School			"	
	(508)		Candy Store			"	
	(507)		Library			"	
	"		"			"	
	"		"			"	
	(715)		"			Desk Lamp	
	(506)		Vacant/ Music			Internal Bulbs	
	(501)		General Store			"	
	(502)		"			"	
	(503)		Clock Tower			"	
	(602)		"	1		Clock Moon LED Tape	
	(509)		Livery Stable			Internal Bulbs	
	(955)	11/31	Bay 2 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
	(671)	11/53	"	2	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
	(157)	11/54	"	3	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(77)	11/55	"	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(153)	11/30	"	5	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(99)	11/29	Bay 2 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(50)	11/26	"	7	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(154)	11/9	"	8	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(78)	11/7	"	9	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(158)	11/6	"	10	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(164)	11/104	Bay 6 Low	1	"	"	"
	(84)	11/105	"	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(28)	5/80	"	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(163)	11/120	"	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(27)	5/93	"	5	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(159)	11/116	"	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(675)	11/98	"	7	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
	(80)	11/96	"	8	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(160)	11/97	"	9	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(952)	11/75	"	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
	(86)	11/45	Bay 3 Low	1	"	Cool Texture	R78+R132, T:R71041
	(165)	11/42	"	2	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(85)	11/41	Bay 3 Low	3	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(673)	11/57	"	4	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
	(711)	11/56	"	5	ETC Source4 PAR VN5P 575w	Library Desk Spec	R305
	(81)	11/40	"	6	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(161)	11/39	"	7	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(674)	11/38	"	8	ETC Source4 26deg+Light Acc C Clamp 575w	Column Special	G888
	(672)	11/37	"	9	"	"	"
	(82)	11/36	"	10	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(162)	11/15	"	11	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(166)	11/12	"	12	"	"	"
	(751)	11/11	"	13	ETC Source4 50deg+Light Acc C Clamp 575w	Trellis Texture	R3202+ R3204, T: G799
	(26)	5/105	Bay 9 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(87)	11/161	"	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(1008)	11/180	"	3	USITT PAR46-MFL 200w	House	R305
	(25)	5/118	"	4	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(951)	11/176	"	5	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
	(79)	11/134	"	6	"	Cool Texture	R78+R132, T:R71041
	(83)	11/131	"	7	"	"	"

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(23)	5/131	Bay 5 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(115)	11/114	"	2	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
	(135)	11/113	"	3	"	Warm Frontlight	R3314+ R119
	(155)	11/112	"	4	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(97)	11/90	"	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(151)	11/89	"	6	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(152)	11/87	"	7	"	"	"
	(98)	11/86	"	8	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(49)	11/70	"	9	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(954)	11/69	"	10	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
	(956)	11/140	Bay 7 Low	1	"	"	
	(1004)	11/136	"	2	USITT PAR46-MFL 200w	House	R305
	(1005)	11/122	"	3	"	"	"
	(71)	11/121	"	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(22)	5/144	Bay 8 Low	1	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(1007)	11/151	"	2	USITT PAR46-MFL 200w	House	R305
	(21)	5/157	"	3	ETC Source Four LED Series 3 Lustr X8 307w	SL High Sides	R119
	(873)	11/150	"	4	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643
	(863)	11/149	"	5	"	Warm Map Texture	R4615+R132, T:G643

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(882)	11/148	Bay 8 Low	6	ETC Source4 36deg+Light Acc C Clamp 575w	Rain Window Texture	R3202+ R3204, T:R +
	(134)	11/172	"	9	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(114)	11/171	"	10	"	Frontlight	R3202+ R119
	(1006)	11/147	"	11	USITT PAR46-MFL 200w	House	R305
	(953)	11/146	"	12	ETC Source4 36deg+Light Acc C Clamp 575w	SPARE	
	(75)	11/126	"	13	"	Cool Texture	R78+R132, T:R71041
	(88)	11/24	Bay 1 Low	1	"	"	"
	(74)	11/25	"	2	"	"	"
	(73)	11/21	"	3	"	"	"
	(1002)	11/20	"	4	USITT PAR46-MFL 200w	House	R305
	(96)	11/19	"	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(42)	11/18	"	6	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(1001)	11/5	"	7	USITT PAR46-MFL 200w	House	R305
	(46)	11/4	"	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(72)	11/85	Bay 4 Low	1	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(94)	11/80	"	2	"	Warm Texture	R4615+R132, T:ME 3547
	(871)	11/110	"	3	"	Cool Map Texture	R84+R132, T:G643
	(861)	11/109	"	4	"	Warm Map Texture	R4615+R132, T:G643
	(881)	11/108	"	5	"	Rain Window Texture	R3202+ R3204, T:R +

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(1003)	11/77	Bay 4 Low	6	USITT PAR46-MFL 200w	House	R305
	(95)	11/76	"	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(41)	11/65	"	8	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(45)	11/61	"	9	"	"	"
	(156)	11/92	Bay 5 X Pipe	1	ETC CE Source4 PAR MCM (MFL) 575w	Blue Toplight	L71
	(76)	11/91	"	2	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Texture	R78+R132, T:R71041
	(8)	5/40	"	3	High End Systems SolaSpot Pro 1000 500w	Cat Mover	
	(9)	5/55	Bay 3 X Pipe	1	"	"	
	(54)	11/34	East C Undercat	"	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(53)	11/32	"	3	"	"	"
	(201)	4/415	"	4	High End SolaPix 19 1kW	Pix Backlight	
	(136)	11/94	"	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(116)	11/95	"	6	"	Frontlight	R3202+ R119
	(872)	11/127	"	7	ETC Source4 36deg+Light Acc C Clamp 575w	Cool Map Texture	R84+R132, T:G643
	(862)	11/3	"	8	"	Warm Map Texture	R4615+R132, T:G643
	(43)	"	North Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(301)	4/291	"	2	Altman Spectra CYC 50 50w	Building Wash	
	(47)	11/2	"	3	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(302)	4/299	North Undercat	4	Altman Spectra CYC 50 50w	Building Wash	
	(51)	11/27	"	5	ETC Source4 26deg+Light Acc C Clamp 575w	SR High Sides	G888+ R119
	(55)	11/8	"	6	"	"	"
	(632)	11/35	"	7	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	L777
	(303)	4/307	"	8	Altman Spectra CYC 50 50w	Building Wash	
	(203)	4/315	"	9	High End SolaPix 19 1kW	Pix Backlight	
	(6)	4/337	"	10	High End Systems SolaTheater 500w	Mover Undercat	
	(321)	11/14	"	11	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape	
	(304)	4/385	"	12	Altman Spectra CYC 50 50w	Building Wash	
	(322)	11/13	"	13	ETC Source4 70deg 575w	Building Scrape	
	(132)	11/67	West C Undercat	1	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(112)	11/68	"	2	"	Frontlight	R3202+ R119
	(131)	11/111	"	3	"	Warm Frontlight	R3314+ R119
	(111)	11/88	"	4	"	Frontlight	R3202+ R119
	(2)	4/195	"	5	High End Systems SolaTheater 500w	Mover Undercat	
	(130)	11/129	"	6	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(110)	11/130	"	7	"	Frontlight	R3202+ R119

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(7)	4/180	West C Undercat	10	High End Systems SolaTheater 500w	Mover Undercat	
	(1)	4/147	South Undercat	1	"	"	
	(133)	11/154	"	2	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(113)	11/153	"	3	"	Frontlight	R3202+ R119
	(621)	11/152	"	4	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279
	(129)	11/174	"	5	ETC Source4 26deg+Light Acc C Clamp 575w	Warm Frontlight	R3314+ R119
	(109)	11/173	"	6	"	Frontlight	R3202+ R119
	(125)	11/142	"	7	"	Warm Frontlight	R3314+ R119
	(105)	11/141	"	8	"	Frontlight	R3202+ R119
	(126)	11/170	"	9	"	Warm Frontlight	R3314+ R119
	(106)	11/169	"	10	"	Frontlight	R3202+ R119
	(101)	11/168	West Undercat	1	"	"	"
	(121)	11/167	"	2	"	Warm Frontlight	R3314+ R119
	(102)	11/166	"	3	"	Frontlight	R3202+ R119
	(122)	11/139	"	4	"	Warm Frontlight	R3314+ R119
	(107)	11/138	"	5	"	Frontlight	R3202+ R119
	(127)	11/137	"	6	"	Warm Frontlight	R3314+ R119

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(91)	11/123	West Undercat	7	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(103)	11/107	"	8	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
	(123)	11/105	"	9	"	Warm Frontlight	R3314+ R119
	(108)	11/79	"	10	"	Frontlight	R3202+ R119
	(128)	11/78	"	11	"	Warm Frontlight	R3314+ R119
	(622)	11/64	"	12	ETC Source4 50deg+Light Acc C Clamp 575w	Gym Window	R80, T: R7279
	(92)	11/63	"	13	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(104)	11/62	"	14	ETC Source4 26deg+Light Acc C Clamp 575w	Frontlight	R3202+ R119
	(124)	11/17	"	15	"	Warm Frontlight	R3314+ R119
	(3)	4/243	"	16	High End Systems SolaTheater 500w	Mover Undercat	
	(93)	11/16	"	17	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Texture	R4615+R132, T:ME 3547
	(323)	11/44	East Undercat	1	ETC Source4 70deg 575w	Building Scrape	
	(305)	4/79	"	2	Altman Spectra CYC 50 50w	Building Wash	
	(324)	11/43	"	3	ETC Source4 50deg+Light Acc C Clamp 575w	Building Scrape	
	(4)	4/9	"	4	High End Systems SolaTheater 500w	Mover Uncercat	
	(5)	4/440	"	5	"	"	
	(202)	4/57	"	6	High End SolaPix 19 1kW	Pix Backlight	

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(306)	5/67	East Undercat	7	Altman Spectra CYC 50 50w	Building Wash	
	(32)	4/87	"	8	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
	(31)	4/97	"	9	"	"	"
	(631)	11/101	"	10	ETC Source4 36deg+Light Acc C Clamp 575w	Train Spec	R3314
	(307)	4/107	"	11	Altman Spectra CYC 50 50w	Building Wash	
	(30)	4/116	"	12	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
	(308)	4/127	"	13	Altman Spectra CYC 50 50w	Building Wash	
	(29)	4/136	"	14	ETC Lustr 1 26deg 125.4w	SL High Sides	R119
	(24)	4/427	East C Uncercat	2	ETC Source Four LED Series 3 Lustr X8 307w	"	"
	(204)	4/393	Undercat X Pipe 1	1	High End SolaPix 19 1kW	Pix Backlight	
	(853)		Mezzanine	"		Map LED Tape	
	(420)		"	"		Haze	
	(852)		"	2		Map LED Tape	
	(851)		"	3		"	
	(899)		"	4		String Lights	
	(332)	11/213	South Mezz Upper	1	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
	(314)		"	"	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(331)	11/214	South Mezz Upper	2	ETC Source4 50deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
	(601)	11/220	"	"	Source 4 19deg 575w	Clock Face Spec	R64
	(313)		"	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726
	(402)	11/221	"	4	Source 4 19deg 575w	Warm Fence Texture	R4615, T: ME 4004
	(412)	11/222	"	5	"	Cool Fence Texture	R78, T: ME 4004
	(411)	11/227	West Mezz Upper	1	"	"	"
	(401)	11/226	"	2	"	Warm Fence Texture	R4615, T: ME 4004
	(312)		"	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Balc Tex Fill	R132, T: G726
	(311)		"	4	"	"	"
	(333)	11/237	"	5	ETC Source4 36deg+Light Acc C Clamp 575w	Warm Building Texture	T:G643
	(334)	11/240	"	6	ETC Source4 50deg+Light Acc C Clamp 575w	"	"
	(702)	11/215	South Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp 575w	Library Shelves	R3314, T:G673
	(701)	11/219	"	2	"	"	"
	(704)	11/230	West Mezz Low	1	"	"	"
	(703)	11/234	"	2	"	"	"
	(806)		SR Boom 1	1	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Cool Texture	R84, T: G643
	(804)		"	2	"	Lace Warm Texture	R321
	(802)		"	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Lace Curtain Wash	
	(805)		SL Boom 1	1	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Cool Texture	R84, T: G643

Dim	Chan	Addr	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo
	(803)		SL Boom 1	2	ETC Source4 50deg+Light Acc C Clamp 575w	Lace Warm Texture	R321
	(801)		"	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp 580w	Lace Curtain Wash	
	(650)		Deck	1		Lamppost	

TABLE OF CONTENTS

Billiards	1	Bay 4 Low	11
Hotel	1	Bay 5 X Pipe	11
City Hall	1	Bay 3 X Pipe	11
Train Station	2	East C Undercat	12
High School	2	North Undercat	13
Candy Store	2	West C Undercat	14
Library	2	South Undercat	15
Vacant/Music	2	West Undercat	16
General Store	3	East Undercat	17
Clock Tower	3	East C Uncercat	18
Livery Stable	3	Undercat X Pipe 1	18
Bay 2 Low	4	Mezzanine	18
Bay 6 Low	5	South Mezz Upper	19
Bay 3 Low	6	West Mezz Upper	19
Bay 9 Low	7	South Mezz Low	20
Bay 5 Low	8	West Mezz Low	20
Bay 7 Low	8	SR Boom 1	20
Bay 8 Low	9	SL Boom 1	20
Bay 1 Low	10	Deck	21

Billiards

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(513)		
	Internal Bulbs				(514)		
	Library Shelves Glow				(723)		

Hotel

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(510)		
	Internal Bulbs				(511)		
	Library Shelves Glow				(722)		

City Hall

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(504)		
	Internal Bulbs				(505)		
	Library Shelves Glow				(721)		

Train Station

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(515)		
	Internal Bulbs				(515)		
	Internal Bulbs				(516)		

High School

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(512)		

Candy Store

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(508)		

Library

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(507)		
	Internal Bulbs				(507)		
	Internal Bulbs				(507)		
	Desk Lamp				(715)		

Vacant/Music

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(506)		

General Store

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(501)		
	Internal Bulbs				(502)		

Clock Tower

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(503)		
1	Clock Moon LED Tape				(602)		

Livery Stable

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
	Internal Bulbs				(509)		

Bay 2 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(955)	11/31	
2	Column Special	ETC Source4 26deg+Light Acc C Clamp	575w	G888	(671)	11/53	
3	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(157)	11/54	
4	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(77)	11/55	
5	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(153)	11/30	
6	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(99)	11/29	
7	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(50)	11/26	
8	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(154)	11/9	
9	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(78)	11/7	
10	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(158)	11/6	

Bay 6 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(164)	11/104	
2	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(84)	11/105	
3	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(28)	5/80	
4	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(163)	11/120	
5	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(27)	5/93	
6	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(159)	11/116	
7	Column Special	ETC Source4 26deg+Light Acc C Clamp	575w	G888	(675)	11/98	
8	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(80)	11/96	
9	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(160)	11/97	
10	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(952)	11/75	

Bay 3 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(86)	11/45	
2	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(165)	11/42	
3	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(85)	11/41	
4	Column Special	ETC Source4 26deg+Light Acc C Clamp	575w	G888	(673)	11/57	
5	Library Desk Spec	ETC Source4 PAR VN5P	575w	R305	(711)	11/56	
6	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(81)	11/40	
7	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(161)	11/39	
8	Column Special	ETC Source4 26deg+Light Acc C Clamp	575w	G888	(674)	11/38	
9	Column Special	ETC Source4 26deg+Light Acc C Clamp	575w	G888	(672)	11/37	
10	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(82)	11/36	
11	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(162)	11/15	
12	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(166)	11/12	
13	Trellis Texture	ETC Source4 50deg+Light Acc C Clamp	575w	R3202+R3204, T:G799	(751)	11/11	

Bay 9 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(26)	5/105	
2	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(87)	11/161	
3	House	USITT PAR46-MFL	200w	R305	(1008)	11/180	
4	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(25)	5/118	
5	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(951)	11/176	
6	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(79)	11/134	
7	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(83)	11/131	

Bay 5 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(23)	5/131	
2	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(115)	11/114	
3	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(135)	11/113	
4	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(155)	11/112	
5	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(97)	11/90	
6	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(151)	11/89	
7	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(152)	11/87	
8	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(98)	11/86	
9	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(49)	11/70	
10	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(954)	11/69	

Bay 7 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(956)	11/140	
2	House	USITT PAR46-MFL	200w	R305	(1004)	11/136	
3	House	USITT PAR46-MFL	200w	R305	(1005)	11/122	
4	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(71)	11/121	

Bay 8 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(22)	5/144	
2	House	USITT PAR46-MFL	200w	R305	(1007)	11/151	
3	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(21)	5/157	
4	Cool Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R84+R132, T:G643	(873)	11/150	
5	Warm Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:G643	(863)	11/149	
6	Rain Window Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R3202+ R3204, T:R +	(882)	11/148	
9	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(134)	11/172	
10	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(114)	11/171	
11	House	USITT PAR46-MFL	200w	R305	(1006)	11/147	
12	SPARE	ETC Source4 36deg+Light Acc C Clamp	575w		(953)	11/146	
13	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(75)	11/126	

Bay 1 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(88)	11/24	
2	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(74)	11/25	
3	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(73)	11/21	
4	House	USITT PAR46-MFL	200w	R305	(1002)	11/20	
5	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(96)	11/19	
6	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(42)	11/18	
7	House	USITT PAR46-MFL	200w	R305	(1001)	11/5	
8	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(46)	11/4	

Bay 4 Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(72)	11/85	
2	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(94)	11/80	
3	Cool Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R84+R132, T:G643	(871)	11/110	
4	Warm Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:G643	(861)	11/109	
5	Rain Window Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R3202+ R3204, T:R +	(881)	11/108	
6	House	USITT PAR46-MFL	200w	R305	(1003)	11/77	
7	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(95)	11/76	
8	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(41)	11/65	
9	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(45)	11/61	

Bay 5 X Pipe

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Blue Toplight	ETC CE Source4 PAR MCM (MFL)	575w	L71	(156)	11/92	
2	Cool Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R78+R132, T:R71041	(76)	11/91	
3	Cat Mover	High End Systems SolaSpot Pro 1000	500w		(8)	5/40	

Bay 3 X Pipe

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Cat Mover	High End Systems SolaSpot Pro 1000	500w		(9)	5/55	

East C Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(54)	11/34	
3	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(53)	11/32	
4	Pix Backlight	High End SolaPix 19	1kW		(201)	4/415	
5	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+R119	(136)	11/94	
6	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+R119	(116)	11/95	
7	Cool Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R84+R132, T:G643	(872)	11/127	
8	Warm Map Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:G643	(862)	11/3	

North Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(43)	11/3	
2	Building Wash	Altman Spectra CYC 50	50w		(301)	4/291	
3	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(47)	11/2	
4	Building Wash	Altman Spectra CYC 50	50w		(302)	4/299	
5	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(51)	11/27	
6	SR High Sides	ETC Source4 26deg+Light Acc C Clamp	575w	G888+R119	(55)	11/8	
7	Train Spec	ETC Source4 36deg+Light Acc C Clamp	575w	L777	(632)	11/35	
8	Building Wash	Altman Spectra CYC 50	50w		(303)	4/307	
9	Pix Backlight	High End SolaPix 19	1kW		(203)	4/315	
10	Mover Undercat	High End Systems SolaTheater	500w		(6)	4/337	
11	Building Scrape	ETC Source4 50deg+Light Acc C Clamp	575w		(321)	11/14	
12	Building Wash	Altman Spectra CYC 50	50w		(304)	4/385	
13	Building Scrape	ETC Source4 70deg	575w		(322)	11/13	

West C Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(132)	11/67	
2	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(112)	11/68	
3	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(131)	11/111	
4	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(111)	11/88	
5	Mover Undercat	High End Systems SolaTheater	500w		(2)	4/195	
6	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(130)	11/129	
7	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(110)	11/130	
10	Mover Undercat	High End Systems SolaTheater	500w		(7)	4/180	

South Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Mover Undercat	High End Systems SolaTheater	500w		(1)	4/147	
2	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(133)	11/154	
3	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(113)	11/153	
4	Gym Window	ETC Source4 50deg+Light Acc C Clamp	575w	R80, T: R7279	(621)	11/152	
5	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(129)	11/174	
6	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(109)	11/173	
7	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(125)	11/142	
8	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(105)	11/141	
9	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(126)	11/170	
10	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(106)	11/169	

West Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(101)	11/168	
2	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(121)	11/167	
3	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(102)	11/166	
4	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(122)	11/139	
5	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(107)	11/138	
6	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(127)	11/137	
7	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(91)	11/123	
8	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(103)	11/107	
9	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(123)	11/105	
10	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(108)	11/79	
11	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(128)	11/78	
12	Gym Window	ETC Source4 50deg+Light Acc C Clamp	575w	R80, T: R7279	(622)	11/64	
13	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(92)	11/63	
14	Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3202+ R119	(104)	11/62	
15	Warm Frontlight	ETC Source4 26deg+Light Acc C Clamp	575w	R3314+ R119	(124)	11/17	
16	Mover Undercat	High End Systems SolaTheater	500w		(3)	4/243	

West Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
17	Warm Texture	ETC Source4 36deg+Light Acc C Clamp	575w	R4615+R132, T:ME 3547	(93)	11/16	

East Undercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Building Scrape	ETC Source4 70deg	575w		(323)	11/44	
2	Building Wash	Altman Spectra CYC 50	50w		(305)	4/79	
3	Building Scrape	ETC Source4 50deg+Light Acc C Clamp	575w		(324)	11/43	
4	Mover Uncercat	High End Systems SolaTheater	500w		(4)	4/9	
5	Mover Uncercat	High End Systems SolaTheater	500w		(5)	4/440	
6	Pix Backlight	High End SolaPix 19	1kW		(202)	4/57	
7	Building Wash	Altman Spectra CYC 50	50w		(306)	5/67	
8	SL High Sides	ETC Lustr 1 26deg	125.4w	R119	(32)	4/87	
9	SL High Sides	ETC Lustr 1 26deg	125.4w	R119	(31)	4/97	
10	Train Spec	ETC Source4 36deg+Light Acc C Clamp	575w	R3314	(631)	11/101	
11	Building Wash	Altman Spectra CYC 50	50w		(307)	4/107	
12	SL High Sides	ETC Lustr 1 26deg	125.4w	R119	(30)	4/116	
13	Building Wash	Altman Spectra CYC 50	50w		(308)	4/127	
14	SL High Sides	ETC Lustr 1 26deg	125.4w	R119	(29)	4/136	

East C Uncercat

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
2	SL High Sides	ETC Source Four LED Series 3 Lustr X8	307w	R119	(24)	4/427	

Undercat X Pipe 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Pix Backlight	High End SolaPix 19	1kW		(204)	4/393	

Mezzanine

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Map LED Tape				(853)		
1	Haze				(420)		
2	Map LED Tape				(852)		
3	Map LED Tape				(851)		
4	String Lights				(899)		

South Mezz Upper

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Warm Building Texture	ETC Source4 36deg+Light Acc C Clamp	575w	T:G643	(332)	11/213	
1	Balc Tex Fill	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	R132, T: G726	(314)		
2	Warm Building Texture	ETC Source4 50deg+Light Acc C Clamp	575w	T:G643	(331)	11/214	
2	Clock Face Spec	Source 4 19deg	575w	R64	(601)	11/220	
3	Balc Tex Fill	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	R132, T: G726	(313)		
4	Warm Fence Texture	Source 4 19deg	575w	R4615, T: ME 4004	(402)	11/221	
5	Cool Fence Texture	Source 4 19deg	575w	R78, T:ME 4004	(412)	11/222	

West Mezz Upper

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Cool Fence Texture	Source 4 19deg	575w	R78, T:ME 4004	(411)	11/227	
2	Warm Fence Texture	Source 4 19deg	575w	R4615, T: ME 4004	(401)	11/226	
3	Balc Tex Fill	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	R132, T: G726	(312)		
4	Balc Tex Fill	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	R132, T: G726	(311)		
5	Warm Building Texture	ETC Source4 36deg+Light Acc C Clamp	575w	T:G643	(333)	11/237	
6	Warm Building Texture	ETC Source4 50deg+Light Acc C Clamp	575w	T:G643	(334)	11/240	

South Mezz Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Library Shelves	ETC Source4 26deg+Light Acc C Clamp	575w	R3314, T: G673	(702)	11/215	
2	Library Shelves	ETC Source4 26deg+Light Acc C Clamp	575w	R3314, T: G673	(701)	11/219	

West Mezz Low

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Library Shelves	ETC Source4 26deg+Light Acc C Clamp	575w	R3314, T: G673	(704)	11/230	
2	Library Shelves	ETC Source4 26deg+Light Acc C Clamp	575w	R3314, T: G673	(703)	11/234	

SR Boom 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Lace Cool Texture	ETC Source4 50deg+Light Acc C Clamp	575w	R84, T:G643	(806)		
2	Lace Warm Texture	ETC Source4 50deg+Light Acc C Clamp	575w	R321	(804)		
3	Lace Curtain Wash	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w		(802)		

SL Boom 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Lace Cool Texture	ETC Source4 50deg+Light Acc C Clamp	575w	R84, T:G643	(805)		
2	Lace Warm Texture	ETC Source4 50deg+Light Acc C Clamp	575w	R321	(803)		
3	Lace Curtain Wash	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w		(801)		

Deck

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Lamppost				(650)		

TABLE OF CONTENTS

G888	1	R3314	13
R78+R132	2	R119	14
R78	4	R305	15
R132	5	L71	16
R84+R132	6	R3202+R119	17
R84	7	G888+R119	19
R4615+R132	8	L777	20
R4615	9	R80	21
R3202+R3204	10	R64	22
R3314+R119	11	R321	23

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
G888	Bay 2 Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Column Special		(671)	
	Bay 6 Low	7	ETC Source4 26deg+Light Acc C Clamp	575w	Column Special		(675)	
	Bay 3 Low	4	ETC Source4 26deg+Light Acc C Clamp	575w	Column Special		(673)	
	Bay 3 Low	8	ETC Source4 26deg+Light Acc C Clamp	575w	Column Special		(674)	
	Bay 3 Low	9	ETC Source4 26deg+Light Acc C Clamp	575w	Column Special		(672)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R78+R132	Bay 2 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(77)	
	Bay 2 Low	9	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(78)	
	Bay 6 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(84)	
	Bay 6 Low	8	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(80)	
	Bay 3 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(86)	
	Bay 3 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(85)	
	Bay 3 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(81)	
	Bay 3 Low	10	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(82)	
	Bay 9 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(87)	
	Bay 9 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(79)	
	Bay 9 Low	7	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(83)	
	Bay 7 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(71)	
	Bay 8 Low	13	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(75)	
	Bay 1 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(88)	
	Bay 1 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(74)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R78+R132	Bay 1 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(73)	
	Bay 4 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(72)	
	Bay 5 X Pipe	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R71041	(76)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R78	South Mezz Upper	5	Source 4 19deg	575w	Cool Fence Texture	ME 4004	(412)	
	West Mezz Upper	1	Source 4 19deg	575w	Cool Fence Texture	ME 4004	(411)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R132	South Mezz Upper	1	Selecon PLProfile4 MkII LED+Light Acc C Clamp	580w	Balc Tex Fill	G726	(314)	
	South Mezz Upper	3	Selecon PLProfile4 MkII LED+Light Acc C Clamp	580w	Balc Tex Fill	G726	(313)	
	West Mezz Upper	3	Selecon PLProfile4 MkII LED+Light Acc C Clamp	580w	Balc Tex Fill	G726	(312)	
	West Mezz Upper	4	Selecon PLProfile4 MkII LED+Light Acc C Clamp	580w	Balc Tex Fill	G726	(311)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R84+R132	Bay 8 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	G643	(873)	
	Bay 4 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	G643	(871)	
	East C Undercat	7	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	G643	(872)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R84	SR Boom 1	1	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Cool Texture	G643	(806)	
	SL Boom 1	1	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Cool Texture	G643	(805)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R4615+R132	Bay 2 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(99)	
	Bay 5 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(97)	
	Bay 5 Low	8	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(98)	
	Bay 8 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	G643	(863)	
	Bay 1 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(96)	
	Bay 4 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(94)	
	Bay 4 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	G643	(861)	
	Bay 4 Low	7	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(95)	
	East C Undercat	8	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	G643	(862)	
	West Undercat	7	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(91)	
	West Undercat	13	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(92)	
	West Undercat	17	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	ME 3547	(93)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R4615	South Mezz Upper	4	Source 4 19deg	575w	Warm Fence Texture	ME 4004	(402)	
	West Mezz Upper	2	Source 4 19deg	575w	Warm Fence Texture	ME 4004	(401)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3202+R3204	Bay 3 Low	13	ETC Source4 50deg+Light Acc C Clamp	575w	Trellis Texture	G799	(751)	
	Bay 8 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Rain Window Texture	R +	(882)	
	Bay 4 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Rain Window Texture	R +	(881)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3314+R119	Bay 5 Low	3	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(135)	
	Bay 8 Low	9	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(134)	
	East C Undercat	5	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(136)	
	West C Undercat	1	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(132)	
	West C Undercat	3	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(131)	
	West C Undercat	6	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(130)	
	South Undercat	2	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(133)	
	South Undercat	5	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(129)	
	South Undercat	7	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(125)	
	South Undercat	9	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(126)	
	West Undercat	2	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(121)	
	West Undercat	4	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(122)	
	West Undercat	6	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(127)	
	West Undercat	9	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(123)	
	West Undercat	11	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(128)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3314+R119	West Undercat	15	ETC Source4 26deg+Light Acc C Clamp	575w	Warm Frontlight		(124)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3314	East Undercat	10	ETC Source4 36deg+Light Acc C Clamp	575w	Train Spec		(631)	
	South Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	G673	(702)	
	South Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	G673	(701)	
	West Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	G673	(704)	
	West Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	G673	(703)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R119	Bay 6 Low	3	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(28)	
	Bay 6 Low	5	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(27)	
	Bay 9 Low	1	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(26)	
	Bay 9 Low	4	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(25)	
	Bay 5 Low	1	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(23)	
	Bay 8 Low	1	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(22)	
	Bay 8 Low	3	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(21)	
	East Undercat	8	ETC Lustr 1 26deg	125.4 w	SL High Sides		(32)	
	East Undercat	9	ETC Lustr 1 26deg	125.4 w	SL High Sides		(31)	
	East Undercat	12	ETC Lustr 1 26deg	125.4 w	SL High Sides		(30)	
	East Undercat	14	ETC Lustr 1 26deg	125.4 w	SL High Sides		(29)	
	East C Uncercat	2	ETC Source Four LED Series 3 Lustr X8	307w	SL High Sides		(24)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R305	Bay 3 Low	5	ETC Source4 PAR VN5P	575w	Library Desk Spec		(711)	
	Bay 9 Low	3	USITT PAR46-MFL	200w	House		(1008)	
	Bay 7 Low	2	USITT PAR46-MFL	200w	House		(1004)	
	Bay 7 Low	3	USITT PAR46-MFL	200w	House		(1005)	
	Bay 8 Low	2	USITT PAR46-MFL	200w	House		(1007)	
	Bay 8 Low	11	USITT PAR46-MFL	200w	House		(1006)	
	Bay 1 Low	4	USITT PAR46-MFL	200w	House		(1002)	
	Bay 1 Low	7	USITT PAR46-MFL	200w	House		(1001)	
	Bay 4 Low	6	USITT PAR46-MFL	200w	House		(1003)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L71	Bay 2 Low	3	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(157)	
	Bay 2 Low	5	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(153)	
	Bay 2 Low	8	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(154)	
	Bay 2 Low	10	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(158)	
	Bay 6 Low	1	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(164)	
	Bay 6 Low	4	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(163)	
	Bay 6 Low	6	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(159)	
	Bay 6 Low	9	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(160)	
	Bay 3 Low	2	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(165)	
	Bay 3 Low	7	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(161)	
	Bay 3 Low	11	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(162)	
	Bay 3 Low	12	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(166)	
	Bay 5 Low	4	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(155)	
	Bay 5 Low	6	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(151)	
	Bay 5 Low	7	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(152)	
	Bay 5 X Pipe	1	ETC CE Source4 PAR MCM (MFL)	575w	Blue Toplight		(156)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3202+R119	Bay 5 Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(115)	
	Bay 8 Low	10	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(114)	
	East C Undercat	6	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(116)	
	West C Undercat	2	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(112)	
	West C Undercat	4	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(111)	
	West C Undercat	7	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(110)	
	South Undercat	3	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(113)	
	South Undercat	6	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(109)	
	South Undercat	8	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(105)	
	South Undercat	10	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(106)	
	West Undercat	1	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(101)	
	West Undercat	3	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(102)	
	West Undercat	5	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(107)	
	West Undercat	8	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(103)	
	West Undercat	10	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(108)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3202+R119	West Undercat	14	ETC Source4 26deg+Light Acc C Clamp	575w	Frontlight		(104)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
G888+R119	Bay 2 Low	7	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(50)	
	Bay 5 Low	9	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(49)	
	Bay 1 Low	6	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(42)	
	Bay 1 Low	8	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(46)	
	Bay 4 Low	8	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(41)	
	Bay 4 Low	9	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(45)	
	East C Undercat	1	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(54)	
	East C Undercat	3	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(53)	
	North Undercat	1	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(43)	
	North Undercat	3	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(47)	
	North Undercat	5	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(51)	
	North Undercat	6	ETC Source4 26deg+Light Acc C Clamp	575w	SR High Sides		(55)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
L777	North Undercat	7	ETC Source4 36deg+Light Acc C Clamp	575w	Train Spec		(632)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R80	South Undercat	4	ETC Source4 50deg+Light Acc C Clamp	575w	Gym Window	R7279	(621)	
	West Undercat	12	ETC Source4 50deg+Light Acc C Clamp	575w	Gym Window	R7279	(622)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R64	South Mezz Upper	2	Source 4 19deg	575w	Clock Face Spec		(601)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R321	SR Boom 1	2	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Warm Texture		(804)	
	SL Boom 1	2	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Warm Texture		(803)	

TABLE OF CONTENTS

R71041	1	ME 3547	6
G643	3	R7279	7
R +	4	ME 4004	8
G799	5	G726	9
		G673	10

R71041

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 2 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(77)	
Bay 2 Low	9	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(78)	
Bay 6 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(84)	
Bay 6 Low	8	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(80)	
Bay 3 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(86)	
Bay 3 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(85)	
Bay 3 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(81)	
Bay 3 Low	10	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(82)	
Bay 9 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(87)	
Bay 9 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(79)	
Bay 9 Low	7	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(83)	
Bay 7 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(71)	
Bay 8 Low	13	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(75)	
Bay 1 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(88)	
Bay 1 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(74)	

R71041

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 1 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(73)	
Bay 4 Low	1	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(72)	
Bay 5 X Pipe	2	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Texture	R78+R132	(76)	

G643

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 8 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	R84+R132	(873)	
Bay 8 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	R4615+ R132	(863)	
Bay 4 Low	3	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	R84+R132	(871)	
Bay 4 Low	4	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	R4615+ R132	(861)	
East C Undercat	7	ETC Source4 36deg+Light Acc C Clamp	575w	Cool Map Texture	R84+R132	(872)	
East C Undercat	8	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Map Texture	R4615+ R132	(862)	
South Mezz Upper	1	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Building Texture		(332)	
South Mezz Upper	2	ETC Source4 50deg+Light Acc C Clamp	575w	Warm Building Texture		(331)	
West Mezz Upper	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Building Texture		(333)	
West Mezz Upper	6	ETC Source4 50deg+Light Acc C Clamp	575w	Warm Building Texture		(334)	
SR Boom 1	1	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Cool Texture	R84	(806)	
SL Boom 1	1	ETC Source4 50deg+Light Acc C Clamp	575w	Lace Cool Texture	R84	(805)	

R +

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 8 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Rain Window Texture	R3202+ R3204	(882)	
Bay 4 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Rain Window Texture	R3202+ R3204	(881)	

G799

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 3 Low	13	ETC Source4 50deg+Light Acc C Clamp	575w	Trellis Texture	R3202+ R3204	(751)	

ME 3547

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Bay 2 Low	6	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(99)	
Bay 5 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(97)	
Bay 5 Low	8	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(98)	
Bay 1 Low	5	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(96)	
Bay 4 Low	2	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(94)	
Bay 4 Low	7	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(95)	
West Undercat	7	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(91)	
West Undercat	13	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(92)	
West Undercat	17	ETC Source4 36deg+Light Acc C Clamp	575w	Warm Texture	R4615+ R132	(93)	

R7279

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
South Undercat	4	ETC Source4 50deg+Light Acc C Clamp	575w	Gym Window	R80	(621)	
West Undercat	12	ETC Source4 50deg+Light Acc C Clamp	575w	Gym Window	R80	(622)	

ME 4004

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
South Mezz Upper	4	Source 4 19deg	575w	Warm Fence Texture	R4615	(402)	
South Mezz Upper	5	Source 4 19deg	575w	Cool Fence Texture	R78	(412)	
West Mezz Upper	1	Source 4 19deg	575w	Cool Fence Texture	R78	(411)	
West Mezz Upper	2	Source 4 19deg	575w	Warm Fence Texture	R4615	(401)	

G726

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
South Mezz Upper	1	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	Balc Tex Fill	R132	(314)	
South Mezz Upper	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	Balc Tex Fill	R132	(313)	
West Mezz Upper	3	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	Balc Tex Fill	R132	(312)	
West Mezz Upper	4	Selecon PLProfile4 MkII LED+ Light Acc C Clamp	580w	Balc Tex Fill	R132	(311)	

G673

Position	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
South Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	R3314	(702)	
South Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	R3314	(701)	
West Mezz Low	1	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	R3314	(704)	
West Mezz Low	2	ETC Source4 26deg+Light Acc C Clamp	575w	Library Shelves	R3314	(703)	